




BUILT IN ELECTRICAL CONNECTOR OPTIONS
(PRESSURE PORT G1/4A DIN 3852-E SHOWN)

FLY LEAD HARNESS (2m)
CONNECTOR





OUTPUT	BLACK	RED	WHITE
VOLTAGE	V-	V+	Vout
CURRENT	lout	V+	...

PACKARD METRI-PACK 150
CONNECTOR





OUTPUT	PIN A	PIN B	PIN C
VOLTAGE	V-	V+	Vout
CURRENT	lout	V+	...

M12x1 4-POLE
CONNECTOR





OUTPUT	PIN 1	PIN 2	PIN 3	PIN 4
VOLTAGE	V+	...	V-	Vout
CURRENT	V+	...	lout	...

DIN 175301-803A 18mm
CONNECTOR



OUTPUT	PIN 1	PIN 2	PIN 3	PIN 4
VOLTAGE	V+	V-	Vout	...
CURRENT	V+	lout	...	...

DEUTSCH DT04-3P
CONNECTOR




OUTPUT	PIN A	PIN B	PIN C
VOLTAGE	V+	V-	Vout
CURRENT	V+	lout	...


NOTE:
V+: Supply Voltage V-: Ground
Vout: Output Voltage lout: Output Current
... : Not Connected

MATING CONNECTOR OPTIONS
(ONLY DIN 175301-803A 18mm AVAILABLE)

DIN 175301-803A 18mm
MATING CONNECTOR




MATING CONNECTOR
ASSEMBLY




PRESSURE CONNECTION PORT OPTIONS


G1/4A (MALE) DIN 3852-E




7/16-20 UNF J1926-3



1/4-19 PT (BSPT)(R1/4)




1/4-18 NPTF



SNUBBER OPTIONS

(PRESSURE PORT G1/4A DIN 3852-E SHOWN)



DETAIL A
SCALE 16 : 1

